


**Best Seller**

2~8°C Pharmacy Refrigerator



**YC-395EL**

Seven Sensors  
 Temperature Uniformity  
 Ensuring Safety & Storage



Temp. Uniformity



Pulling down to 5°C



Recovery time after 1 minute door open

\*Typical freezer data based on internal testing with freezer set point at 5°C and ambient temperature at 22°C.

**Features**



Temperature control system  
 Display temp. in 0.1°C increments




Foaming Door



Air cooling system



CE certificate



Removable wire shelves  
 with label holders




Alarms system  
 Multiple alarm functions

**Structure**



## Dimensions



## Specification

### 2~8°C Pharmacy Refrigerator

Model	YC-395EL	
Capacity	395L/13.95 Cu.Ft	
Internal Size (W*D*H) mm	580×533×1352/22.8*21*53.2	
External Size (W*D*H) mm	650*652*1992/25.6*25.7*78.4	
Package Size (W*D*H) mm	717*732*2065/28.2*28.8*81.3	
NW/GW (kgs)	95/103	
<b>Performance</b>		
Temperature Range	2~8°C	
Ambient Temperature	16~32°C	
Cooling Performance	5°C	
Climate Class	N	
Controller	Microprocessor	
Display	Digital Display	
<b>Refrigeration</b>		
Compressor	1pc	
Cooling Method	Air Cooling	
Defrost Mode	Automatical	
Refrigerant	R600a	
Insulation Thickness(mm)	D:53, L/R:35, B:52	
<b>Construction</b>		
External Material	PCM	
Inner Material	HIPS	
Shelves	7	
Access Test Port	1pc. Ø 25 mm	
Casters	4+(2 leveling feet)	
Data Logging/ Interval /Recording Time	USB/Record every 10 minutes/100,000 data	
Interface	Remote Alarm Contact, RS485	
Backup Battery	Yes	
<b>Alarms</b>		
Temperature	High/Low Temperature, High Ambient Temperature, Condenser High Temperature Alarm	
Electrical	Power Failure, Low Battery, Sensor Error	
System	Data Communication Failure, Door Ajar, Data Logger Failure	
<b>Electrical</b>		
Power Supply(V/Hz)	110V/60Hz	220-240V;50Hz
Rated Current(A)	4.76A	1.8A